



**2021**

# LAMPS PRODUCT CATALOGUE

[WWW.VALENS.COM.TR](http://WWW.VALENS.COM.TR)

# ABOUT US

## Valens; "Solutions Enlightening Your Life"

Valens Lighting is among the first domestic lighting manufacturers of Turkey and started its activities as ESPA Lighting in 1992. continues its production in its factory, which has an area of 2500 m2 and is equipped with modern technology.

Valens Elektrik Elektronik Pazarlama Sanayi Tic. Ltd. Şti, with its expert team in its field, in its production center with automation technology, LED bulbs, lamps, indoor and outdoor decorative fixtures and lighting products, lighting, fixtures, interior, exterior, lighting products of Hotel, Hospital, Housing, Industrial and all other architectural projects. carries out the design and manufacture of indoor lighting systems.

Valens lighting products, which are produced in accordance with international quality standards and compatible with smart building systems, have CE certificate and quality standards.

Valens Lighting, with a service approach based on customer satisfaction, offers quality at the most affordable prices with special lighting solutions to its customers. With its environmentally friendly LED lighting products, it reveals a sense of responsibility that values people and nature.

Opening from Turkey to the world in the lighting sector, Valens Lighting achieves new successes every year with its export-oriented moves and takes its place among the leading brands in this field. Great importance is attached to R&D studies, and steps are taken to meet all the needs of its customers in the best way with its product range renewed every year.



# INDOOR LED BULB



VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW  
POWER CONSUMPTION


HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION


LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT

\* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2705	5 W	Ø 50 mm	440lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2709	9 W	Ø 60 mm	820lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2712	12 W	Ø 65 mm	1100lm	2700-6500K	NO	165-240V / 110-240V		E 27

# INDOOR 10+1W COLOUR CHANGING BULB

VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW  
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION

LEAD AND MERCURY-FREE


INSTANT QUALITY LIGHT



- \* 5 Colour Choices
- \* Only change to one colour

TURN ON-OFF / CHANGE LIGHT

\* DOB and Driver, two types for your choice.



Driver



DOB

## DIMENSIONS



(mm)

10 W

60 W

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOUR TEMPERATURE	NIGHT LAMP COLOUR	INPUT VOLTAGE	BASE
VL-2710R	10+1 W	∅ 60 mm	820lm	6500K	ORANGE-RED-PINK-GREEN-BLUE	165-240V / 110-240V	E 27

# INDOOR RADAR SENSOR BULB



VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW  
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION


LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT

**VALENS**

\* This bulb automatically turns on when there is any motion with in a 15 feet radius and turns off in 60 seconds as soon as the motion subsides.

\* DOB and Driver, two types for your choice.



Driver



DOB

## DIMENSIONS



(mm)

10 W



**60 W**

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2712	12 W	∅ 65 mm	1100lm	2700-6500K	NO	165-240V / 110-240V		E 27

# INDOOR BIG LED BULB



VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW  
POWER CONSUMPTION


HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT

\* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2718	18 W	Ø 80 mm	1500lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2736	36 W	Ø 125 mm	3100lm	2700-6500K	NO	165-240V / 110-240V		E 27

# INDOOR CANDLE LIGHT BULB

VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW  
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS


NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT



\* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-1405	5 W	∅ 37 mm	440lm	2700-6500K	NO	165-240V / 110-240V		E 14