



2022

LAMPS PRODUCT CATALOGUE

WWW.VALENS.COM.TR

ABOUT US

Valens; "Solutions Enlightening Your Life"

Valens Lighting is among the first domestic lighting manufacturers of Turkey and started its activities as ESPA Lighting in 1992. continues its production in its factory, which has an area of 2500 m2 and is equipped with modern technology.

Valens Elektrik Elektronik Pazarlama Sanayi Tic. Ltd. Şti, with its expert team in its field, in its production center with automation technology, LED bulbs, lamps, indoor and outdoor decorative fixtures and lighting products, lighting, fixtures, interior, exterior, lighting products of Hotel, Hospital, Housing, Industrial and all other architectural projects. carries out the design and manufacture of indoor lighting systems.

Valens lighting products, which are produced in accordance with international quality standards and compatible with smart building systems, have CE certificate and quality standards.

Valens Lighting, with a service approach based on customer satisfaction, offers quality at the most affordable prices with special lighting solutions to its customers. With its environmentally friendly LED lighting products, it reveals a sense of responsibility that values people and nature.

Opening from Turkey to the world in the lighting sector, Valens Lighting achieves new successes every year with its export-oriented moves and takes its place among the leading brands in this field. Great importance is attached to R&D studies, and steps are taken to meet all the needs of its customers in the best way with its product range renewed every year.



INDOOR LED BULB

VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS


NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT



* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2705	5 W	Ø 50 mm	440lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2709	9 W	Ø 60 mm	820lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2712	12 W	Ø 65 mm	1100lm	2700-6500K	NO	165-240V / 110-240V		E 27

INDOOR 10+1W COLOUR CHANGING BULB

VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT



* Red Light

* Pink Light

* Green Light


* Blue Light

* Orange Light

- * 5 Colour Choices
- * Only change to one colour

TURN ON-OFF / CHANGE LIGHT

* DOB and Driver, two types for your choice.



Driver



DOB

DIMENSIONS



(mm)

10 W

60 W

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOUR TEMPERATURE	NIGHT LAMP COLOUR	INPUT VOLTAGE	BASE
VL-2710R	10+1 W	∅ 60 mm	820lm	6500K	ORANGE-RED-PINK-GREEN-BLUE	165-240V / 110-240V	E 27

INDOOR RADAR SENSOR BULB



VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION


LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT

VALENS

* This bulb automatically turns on when there is any motion within a 15 feet radius and turns off in 60 seconds as soon as the motion subsides.

* DOB and Driver, two types for your choice.



Driver



DOB

DIMENSIONS



(mm)

10 W



60 W

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2707RS	7 W	∅ 65 mm	650lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2712RS	12 W	∅ 65 mm	1100lm	2700-6500K	NO	165-240V / 110-240V		E 27

INDOOR BIG LED BULB



VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW
POWER CONSUMPTION


HARMONIOUS LIGHT COLOURS

NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT

* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-2718	18 W	Ø 80 mm	1500lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-2736	36 W	Ø 125 mm	3100lm	2700-6500K	NO	165-240V / 110-240V		E 27

INDOOR CANDLE LIGHT BULB

VERY LOW COLOUR TOLERANCE

EXTREMELY LONG LIFETIME

NO HEAT IN BEAM

EXTREMELY LOW
POWER CONSUMPTION

HARMONIOUS LIGHT COLOURS


NO UV OR IR RADIATION

LEAD AND MERCURY-FREE

INSTANT QUALITY LIGHT



* DOB and Driver, two types for your choice.



Driver



DOB

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-1405	5 W	∅ 37 mm	440lm	2700-6500K	NO	165-240V / 110-240V		E 14

INDOOR SLIM LED PANEL



ALUMINIUM HOUSING

SMD LED

HIGH EFFICIENCY DRIVER

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	PIECE IN PACKAGE
VL-1003	3 W	Ø 70 mm	210lm	3500-6500K	NO	85-265V		120
VL-1006	6 W	Ø 105 mm	420lm	3500-6500K	NO	85-265V		100
VL-1009	9 W	Ø 130 mm	630lm	3500-6500K	NO	85-265V		60
VL-1012	12 W	Ø 155 mm	840lm	3500-6500K	NO	85-265V		40
VL-1015	15 W	Ø 175 mm	1200lm	3500-6500K	NO	85-265V		40
VL-1018	18 W	Ø 205 mm	1400lm	3500-6500K	NO	85-265V		30
VL-1024	24 W	Ø 280 mm	1920lm	3500-6500K	NO	85-265V		20

SURFACE MOUNT

PRODUCT CODE	WATTAGE	SIZE	BODY	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	PIECE IN PACKAGE
VL-1018	18 W	Ø 70 mm	WHITE	1260lm	3500-6500K	NO	85-265V		10
VL-1024	24 W	Ø 105 mm	WHITE	1680lm	3500-6500K	NO	85-265V		10

INDOOR LED PANEL

ALUMINIUM HOUSING

SMD LED

HIGH EFFICIENCY DRIVER

PRODUCT CODE	WATTAGE	SIZE	LUMEN	COLOR TEMPERATURE	DIMMABLE	INPUT VOLTAGE	QTY/CTN	BASE
VL-3042	42 W	Ø 50 mm	440lm	2700-6500K	NO	165-240V / 110-240V		E 27
VL-1048	48 W	Ø 60 mm	820lm	2700-6500K	NO	165-240V / 110-240V		E 27